

Safety Data Sheet 29 CFR 1910.1200

Trade Name: Ethyl 3-ethoxypropionate

Page 1 of 1

SDS REPORT

Guangdong Easource New Material Co., Ltd. No.3 , Xingbang Road, Yinghong Town, Yingde City, Guangdong

SDS Report No.	:	SDS2016041301E
Compilation Date	:	Apr 13, 2019
Sample Name	:	Ethyl 3-ethoxypropionate
End Use	:	Automotive coating, marine coating and microelectronics industry (As diluents)
Composition/Ingredient	:	See Section 3 on the SDS
of The Sample		
Service Requested	:	Safety Data Sheet (SDS) for the sample with submitted composition.
Summary		As per request, the contents and formats of the SDS are prepared in according with US Regulations Relating to Labor 29 CFR 1910.1200(g), and is provided per attached.

Signed for and on behalf of Technical Center:

este

Jesse Xu Toxicology engineer

Page 1 of 7 Revision Date: Apr 13, 2019 Print Date: Apr 13, 2019

1 Identification

· Product identifier

• Trade name: <u>Ethyl 3-ethoxypropionate</u>

· Recommended use of the chemical and restrictions on use

• *Application of the substance/ mixture: Automotive coating, marine coating and microelectronics industry (As diluents).*

• Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Guangdong Easource New Material Co., Ltd.

No.3, Xingbang Road, Yinghong Town, Yingde City, Guangdong

Tel: + (086) 763-2638908

Fax: + (086) 763-2638928

Email: susan.gu@gdeasource.com

• Further information obtainable from:

Guangdong Easource New Material Co., Ltd.

· Emergency telephone number

Li Xing

Tel: + (086) 13438324624

2 Hazard(s) identification

• Classification of the substance or mixture:



Flam. Liq. 3 H226 Flammable liquid and vapour

· Information concerning particular hazards for human and environment:

The product has to be labeled due to the calculation procedure of OSHA Hazard Communication Standard (29 CFR 1910.1200).

• Classification system:

The classification is according to the latest edition of OSHA Hazard Communication Standard (29 CFR 1910.1200) and extended by company and literature data.

· Label elements

· Labeling according to OSHA Hazard Communication Standard (29 CFR 1910.1200)

• Hazard pictograms:



GHS02

· Signal word: Warning

· Hazard-determining components of the labeling: Ethyl 3-ethoxypropionate

Hazard statements:

H226 Flammable liquid and vapour

• Precautionary statement:

Safety Data Sheet 29 CFR 1910.1200 Trade Name: Ethyl 3-ethoxypropionate Page 2 of 7 Revision Date: Apr 13, 2019 Print Date: Apr 13, 2019

P210	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.		
P240	Ground/bond container and receiving equipment.		
P241	Use explosion-proof electrical/ventilating/lighting equipment.		
P242	Use only non-sparking tools.		
P243	Take precautionary measures against static discharge.		
P280	Wear protective gloves/protective clothing/eye protection/face protection.		
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.		
	Rinse skin with water/shower.		
P370+P378	In case of fire: Use Dry chemical, alcohol-resistant foam, powder, carbon dioxide		
	and water spray for extinction.		
P403+P235	Store in a well-ventilated place. Keep cool.		
P501	Dispose of contents/container in accordance with local/regional/national/		
	international regulation.		

· Hazards not otherwise classified (HNOC): No further relevant information available.

3 Composition/information on ingredients

Chemical characterization: Substance(s)

· CAS No. Description: 763-69-9 Ethyl 3-ethoxypropionate

• Remark: This product contains substance Ethyl 3-ethoxypropionate (CAS No.: 763-69-9) 98.9% by weight.

4 First aid measures

• Description of first aid measures

After inhalation: Supply with fresh air. Call doctor/physician if you feel unwell.

After skin contact: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

After eye contact: Wash eye with water. If eye irritation happens: Get medical advice/attention.

After swallowing: Rinse out mouth with water. Call a POISON CENTER or doctor/physician if feel unwell. *Information for doctor*

• Most important symptoms and effects, both acute and delayed: No further relevant information available.

· Indication of any immediate medical attention and special treatment needed: No further relevant

information available.

5 Fire-fighting measures

• *Suitable extinguishing agents:* Dry chemical, alcohol-resistant foam, powder, carbon dioxide and water spray.

For safety reasons unsuitable extinguishing agents: Water with full jet.

• Special hazards arising from the substance or mixture: No further relevant information available.

· Special protective equipment and precaution for firefighters

Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Page 3 of 7 Revision Date: Apr 13, 2019 Print Date: Apr 13, 2019

Keep ignition source away.

Avoid breathing vapors, mist or gas.

Use respiratory protective device against the effects of vapors/mist/ gas.

Avoid contact with skin and eyes.

• Environmental precautions:

Do not allow the product to enter sewers/surface or ground water.

Inform respective authorities in case of seepage into water course or sewages system.

Do not allow to enter sewers/surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material l (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Dispose contaminated material as waster according to item 13.

7 Handling and storage

 \cdot Handling

• Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Keep container tightly closed.

Keep away from flame and ignition source.

Avoid breathing vapors, mist or gas.

Use respiratory protective device against the effects of vapors/mist/ gas.

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid contact with skin and eyes.

• Information about fire and explosion protection:

Keep away from heat/sparks/open flames/hot surfaces. -No smoking.

Ground/bond container and receiving equipment.

Take precautionary measures against static discharge.

· Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles:

Store in a cool, keep container tightly closed in a dry and well-ventilation place.

· Information about storage in one common storage facility:

Keep away from combustible materials and oxides.

• Further information about storage conditions:

Store in cool, dry conditions in well-ventilation condition.

8 Exposure controls/personal protection

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

 \cdot Based on the composition shown in section 3, the following measures are suggested for occupational safety measure.

• Appropriate engineering controls:

Page 4 of 7 Revision Date: Apr 13, 2019 Print Date: Apr 13, 2019

Handle in accordance with good industrial hygiene and safety practice.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

See section 7 for information about design of technical facilities.

- Personal protective equipment:
- Breathing equipment: Suitable respiratory protective device recommended.
- Additional information: The lists valid during the marking were used as basis.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

• Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As composition, the resistance of the glove material can't be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Safety glasses

9 Physical and chemical propert	ies
· Information on basic physical and ch	emical properties
· Appearance:	
Form	Liquid
Color	Colorless
Odor	Ester aroma
Odor threshold	Data not available
· pH-value	Data not available
· Change in condition	
Melting point/melting range	-49.99 °C at 1013hPa
Boiling point	169 °C-lit.
• Freezing point	Data not available
· Flash point:	58 C
· Flammability (solid, gas)	Data not available
• Decomposition temperature	Data not available
· Self-ignition	377 °C at 1013hPa

Safety Data Sheet 29 CFR 1910.1200 Trade Name: Ethyl 3-ethoxypropionate Page 5 of 7 Revision Date: Apr 13, 2019 Print Date: Apr 13, 2019

• Danger of explosion	Product is not explosive. However, formation of explosive	
	air/vapour mixture are possible.	
• Explosion limits		
Lower:	9.8% (V)	
Upper:	1.05% (V)	
• Oxidizing properties	Data not available	
• Vapor pressure	2.3 hPa at 20 °C	
• Density	0.95 g/mL at 25 °C	
· Relative density	5.03(Air=1)	
• Vapor density	Data not available	
• Evaporation rate	Data not available	
• Solubility in/Miscibility with		
Water	54.1 g/l (Water=20 °C)	
· Partition coefficient (n-octanol/water)	Log Pow:1.47	
• Viscosity		
Dynamic	Data not available	
Kinematic	Data not available	
• Other information	Data not available	
10 Stability and reactivity		
• Reactivity: No decomposition if used accor	ding to specification.	
• Chemical stability: Stable under recommen		
• Possibility of hazardous reactions: No fur		
· Conditions to avoid: Heat, sparks, open flo	ames and hot surfaces.	
• Incompatible materials: Flammable substa	ance.	
• Hazardous decomposition products: No fu	rther relevant information available.	
11 Toxicological information		
· Acute toxicity		
· LD/LC50 values that are relevant for class	sification:	
CAS No.: 763-69-9 Ethyl 3-ethoxypropiond	ate	
Rat LD50-oral 5000 mg/kg		
Rabbit LD50-skin 10 mL/kg		
· Primary irritant effect		
• Skin corrosion/irritation: Irritating possib	le.	
• Serious eyes damage/ irritation: Irritating	possible.	
• Sensitization: Sensitization possible.		
Additional toxicological information:		
The product is not subject to classification a	ccording to internally approved calculation methods for	
preparation.		
· Carcinogenic categories		

• NTP (National Toxicology Program): None of the ingredients is listed.

Page 6 of 7 Revision Date: Apr 13, 2019 Print Date: Apr 13, 2019

Trade Trane: Emyr 5 emoxypropronate	17 <i>mi</i> Duice. <i>Apr</i> 13, 20
12 Fealogical information	
12 Ecological information	
• Toxicity	ation maileble
• Aquatic toxicity: No further relevant inform	
• Persistence and degradability: No further re	
• Bio-accumulative potential: No further rele	-
Mobility in soil: No further relevant informat	ion available.
• Additional ecological information	
• Other adverse effects: No further relevant in	nformation available.
13 Disposal consideration	
• Waste treatment methods	
• Recommendation: Must not be disposed tog	gether with household garbage. Do not allow product to react
sewage system.	
· Un-cleaned packaging	
• Recommendation: Dispose of contents/cont	ainer in according to the local/regional/national/ internation
regulation.	
14 Transport information	
· UN-Number	
DOT, IMDG, IATA	UN3272
· UN proper shipping name	
DOT, IMDG, IATA	ESTERS, N.O.S. (Ethyl 3-ethoxypropionate)
• Transport hazard class (es)	
DOT, IMDG, IATA	
Class	3 Flammable liquid
Label	3
Packing group	
DOT, IMDG, IATA	III
· Environmental hazardous	
Marine pollution	No
Special precautions for user	Warning: Flammable liquid
• Transport in bulk according to Annex	
II of MARPOL73/78 and the IBC Code	Not applicable
· UN "Model Regulation":	UN3272 ESTERS, N.O.S. (Ethyl 3-ethoxypropionate), 2
	III

• Sara

• Section 355 (extremely hazardous substances): None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings): None of the ingredients is listed.

• TSCA (Toxic Substances Control Act): All the ingredients are listed.

Page 7 of 7 Revision Date: Apr 13, 2019 Print Date: Apr 13, 2019

• Proposition 65

- · Chemicals known to cause cancer: None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.
- Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.
- Chemicals known to cause developmental toxicity: None of the ingredients is listed.
- EPA (Environmental Protection Agency): None of the ingredients is listed.
- TLV (Threshold Limit Value established by ACGIH): None of the ingredients is listed.
- NIOSH-Ca (National Institute for Occupational Safety and Health): None of the ingredients is listed.
- · OSHA-Ca (Occupational Safety & Health Administration): None of the ingredients is listed.
- · National regulations
- Water hazard class: Water hazard class 1 (German Regulation) (self-assessment): Slightly hazardous for water.

16 Other information

Relevant phrases:

H226 Flammable liquid and vapour

The contents and format of this SDS are in accordance with 29 CFR 1910.1200(g). DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· Abbreviations and acronyms:

DOT: Department of Transportation

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association

LD50: Lethal dose, 50 percent

LC50: Lethal concentration, 50 percent

OSHA: Occupational Safety & Health Administration

ACGIH: American Conference of Governmental Industrial Hygienists

NIOSH: National Institute for Occupational Safety and Health

Flam. Liq. 3: Flammable liquid, hazard category 3

End of SDS