according to GB/T 16483 and GB/T 17519

## TRIMETHYLOLPROPANE LLP



Version Revision Date: SDS Number: Date of last issue: 2020/11/27 2.1 2020/11/27 Country / Language: CN / 6N

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product code

## Manufacturer or supplier's details

Supplier JIANGXI KOSIN FRONTIER TECHNOLOGY CO., LTD.

Yuan Shangang Industrial Park, Dongxiang District ,FuZhou City,Jiangxi

Province, China

Telephone +86 794 7907199

E-mail address of person responsible for the SDS

jxkosin@163.com

Emergency telephone number

+86 794 7907199

#### 2. HAZARDS IDENTIFICATION

## **Emergency Overview**

Appearance : flakes
Colour : white
Odour : slight

Suspected of damaging fertility or the unborn child.

**GHS Classification** 

Reproductive toxicity : Category 2

**GHS** label elements

Print Date: 2020/11/27

according to GB/T 16483 and GB/T 17519

## TRIMETHYLOLPROPANE LLP



Version Revision Date: SDS Number: Date of last issue: 2020/11/27 2.1 2020/11/27 Country / Language: CN / 6N

Hazard pictograms



Signal word : Warning

Hazard statements : H361 Suspected of damaging fertility or the unborn child.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

## Physical and chemical hazards

Not classified based on available information.

#### **Health hazards**

Suspected of damaging fertility or the unborn child.

#### **Environmental hazards**

Not classified based on available information.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

## **Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
propylidynetrimethanol	77-99-6	>= 90 -<= 100

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

#### 4. FIRST AID MEASURES

according to GB/T 16483 and GB/T 17519

## TRIMETHYLOLPROPANE LLP



Version Revision Date: SDS Number: Date of last issue: 2020/11/27 2.1 2020/11/27 Country / Language: CN / 6N

General advice Do not leave the victim unattended.

If inhaled If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact Wash off with plenty of water.

Get medical attention if symptoms occur.

In case of eye contact Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Suspected of damaging fertility or the unborn child.

Notes to physician No special measures required.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

Hazardous combustion prod: :

ucts

Carbon dioxide (CO2) Carbon monoxide

Specific extinguishing meth-

Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Special protective equipment

for firefighters

Fire-fighters should wear appropriate protective equipment

and self-contained breathing apparatus (SCBA) with a full

face-piece operated in positive pressure mode.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: Avoid dust formation. tive equipment and emer-

gency procedures

Use personal protective equipment.

**Environmental precautions** Avoid dispersal of spilt material and runoff and contact with

soil, waterways, drains and sewers.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Print Date: 2020/11/27

according to GB/T 16483 and GB/T 17519

## TRIMETHYLOLPROPANE LLP



Version 2.1

Revision Date: 2020/11/27

SDS Number:

Date of last issue: 2020/11/27 Country / Language: CN / 6N

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Dispose of wastes in an approved waste disposal facility.

#### 7. HANDLING AND STORAGE

Handling

Advice on protection against

fire and explosion

Dust can form an explosive mixture in air.

Provide appropriate exhaust ventilation at places where dust

is formed.

Take precautionary measures against electrostatic discharg-

es.

Advice on safe handling

: Avoid formation of respirable particles.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Avoidance of contact

: No specific data.

**Storage** 

Conditions for safe storage

Protect from moisture.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid

No materials to be especially mentioned.

Recommended storage tem-

perature

< 50 °C

Further information on stor-

age stability

No decomposition if stored and applied as directed.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Handle only in a place equipped with local exhaust (or other

appropriate exhaust).

Personal protective equipment

Respiratory protection : In case of dust formation particle filter.

Filter type : P2 filter

4/13

according to GB/T 16483 and GB/T 17519

## TRIMETHYLOLPROPANE LLP



Version Revision Date: SDS Number: Date of last issue: 2020/11/27 2.1 2020/11/27 Country / Language: CN / 6N

Eye/face protection : Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit

Protective suit

Hand protection

Material : Polyvinyl chloride - PVC

Wearing time : < 60 min

Material : Natural rubber - NR

Wearing time : < 60 min

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. After contamination with product change the gloves immediately and dispose of them according to relevant national and local regulations

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : flakes

Colour : white

Odour : slight

Odour Threshold : No data available

pH : No data available

Melting point/range : 58 °C

Boiling point/boiling range : 304 °C

(1,013 hPa)

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not classified as a flammability hazard

Self-ignition : not auto-flammable

Burning number : 2 (20 °C)

Method: VDI 2263-1

3 (100 °C)

Method: VDI 2263-1

Print Date: 2020/11/27

according to GB/T 16483 and GB/T 17519

## TRIMETHYLOLPROPANE LLP



Version 2.1

Revision Date: 2020/11/27

SDS Number:

Date of last issue: 2020/11/27 Country / Language: CN / 6N

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

Lower explosion limit

20,000 mg/m3

Vapour pressure : < 0.1 mmHg (20 °C)

Relative vapour density : No data available

Relative density : No data available

Density : 1.08 - 1.09 g/cm³ (20 °C)

Bulk density : 600 kg/m³

Solubility(ies)

Water solubility : 1,000 g/l

Partition coefficient: n-

octanol/water

No data available

Ignition temperature : 480 °C

Decomposition temperature : 370 °C

Heating rate: 3 K/min Method: closed cup

Self-Accelerating decomposi-

tion temperature (SADT)

> 400 °C

Viscosity : No data available

Explosive properties : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Impact sensitivity : Not impact sensitive.

Molecular weight : No data available

Dust explosion class : St1

Minimum ignition energy : 10 mJ

Method: Dust explosion test in the modified Hartmann tube

## 10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this

6/13

product or its ingredients.

according to GB/T 16483 and GB/T 17519

## TRIMETHYLOLPROPANE LLP

Version Revision Date: SDS Number: Date of last issue: 2020/11/27 2.1 2020/11/27 Country / Language: CN / 6N

Chemical stability : The product is chemically stable.

Possibility of hazardous reac-

tions

Under normal conditions of storage and use, hazardous reac-

tions will not occur.

Conditions to avoid : Avoid the creation of dust when handling and avoid all possi-

ble sources of ignition (spark or flame).

Take measures to prevent the build up of electrostatic charge.

Incompatible materials : No specific data.

Hazardous decomposition

products

No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

## **Acute toxicity**

Not classified based on available information.

#### Components:

## propylidynetrimethanol:

Acute oral toxicity : LD50 (Rat, male): 14,700 mg/kg

GLP: no

Acute inhalation toxicity : LC50 (Rat, male): > 0.85 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

GLP: no

Remarks: Dosage caused no mortality

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

GLP: no

#### Skin corrosion/irritation

Not classified based on available information.

### **Components:**

## propylidynetrimethanol:

Species: Rabbit Exposure time: 24 h Result: No skin irritation

GLP: no

#### Serious eye damage/eye irritation

Not classified based on available information.

#### **Components:**

## propylidynetrimethanol:

Species: Rabbit

Result: No eye irritation

GLP: no

Print Date: 2020/11/27

according to GB/T 16483 and GB/T 17519

## TRIMETHYLOLPROPANE LLP



Version 2.1

Revision Date: 2020/11/27

SDS Number:

Date of last issue: 2020/11/27 Country / Language: CN / 6N

## Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.

#### **Components:**

## propylidynetrimethanol:

Exposure routes: Skin contact

Species: Mouse

Method: OECD Test Guideline 429

Result: Did not cause sensitisation on laboratory animals.

GLP: yes

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

#### propylidynetrimethanol:

Genotoxicity in vitro

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Test Type: Ames test

Test system: Escherichia coli

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

GLP: yes

Test Type: gene mutation test

Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative GLP: yes

## Carcinogenicity

Not classified based on available information.

Print Date: 2020/11/27

according to GB/T 16483 and GB/T 17519

## TRIMETHYLOLPROPANE LLP



Version 2.1

Revision Date: 2020/11/27

SDS Number:

Date of last issue: 2020/11/27 Country / Language: CN / 6N

## Reproductive toxicity

Suspected of damaging fertility or the unborn child.

## **Components:**

#### propylidynetrimethanol:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

Dose: 12,5 - 50 - 200 - 800 mg/kg

General Toxicity - Parent: NOAEL: 200 mg/kg body weight General Toxicity F1: NOAEL: 800 mg/kg body weight

Fertility: NOAEL: 800 mg/kg body weight Method: OECD Test Guideline 422

GLP: yes

Effects on foetal develop-

ment

Species: Rat, female Application Route: Oral

Duration of Single Treatment: 15 d

General Toxicity Maternal: NOAEL: 100 mg/kg body weight Developmental Toxicity: NOAEL: 100 mg/kg body weight

Method: OECD Test Guideline 414

GLP: yes

Species: Rabbit, female Application Route: Oral

Duration of Single Treatment: 22 d

General Toxicity Maternal: NOAEL: >= 450 mg/kg body weight Developmental Toxicity: NOAEL: >= 450 mg/kg body weight

Method: OECD Test Guideline 414

GLP: yes

Species: Rat, male and female

Application Route: Oral

General Toxicity Maternal: NOAEL: 800 mg/kg body weight Developmental Toxicity: NOAEL: 800 mg/kg body weight

Method: OECD Test Guideline 422

GLP: yes

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experi-

ments.

## STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

Not classified based on available information.

## Repeated dose toxicity

## **Components:**

### propylidynetrimethanol:

Species: Rat, male and female

according to GB/T 16483 and GB/T 17519

## TRIMETHYLOLPROPANE LLP



Version Revision Date: SDS Number: 2.1 2020/11/27

Date of last issue: 2020/11/27 Country / Language: CN / 6N

NOAEL: 67 mg/kg Application Route: Oral Exposure time: 90 d Number of exposures: daily

Dose: 20 - 67 - 200 - 667 mg/kg

GLP: no

Remarks: Subchronic toxicity

## **Aspiration toxicity**

Not classified based on available information.

#### 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

### **Components:**

# propylidynetrimethanol:

Toxicity to fish : LC50 (Alburnus alburnus (Bleak)): > 1,000 mg/l

Exposure time: 96 h Analytical monitoring: no

GLP: no

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 13,000 mg/l

End point: Immobilization

Exposure time: 48 h

GLP: no

Remarks: Fresh water

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (microalgae)): > 1,000

mg/l

End point: Biomass Exposure time: 72 h

GLP: no

Remarks: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 21 d

GLP: no

Remarks: Fresh water

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

Method: Regulation (EC) No. 440/2008, Annex, C.11

GLP: yes

Remarks: Fresh water

## Persistence and degradability

### **Components:**

## propylidynetrimethanol:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 6 %

Print Date: 2020/11/27

according to GB/T 16483 and GB/T 17519

## TRIMETHYLOLPROPANE LLP



Version 2.1

Revision Date: 2020/11/27

SDS Number:

Date of last issue:2020/11/27 Country / Language: CN / 6N

Exposure time: 28 d

Method: OECD Test Guideline 301E

GLP: yes

aerobic

Result: Inherently biodegradable.

Biodegradation: 100 % Exposure time: 28 d

Method: OECD Test Guideline 302B

GLP: yes

Bioaccumulative potential

**Components:** 

propylidynetrimethanol:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): < 17 Method: OECD Test Guideline 305C

GLP: yes

Partition coefficient: n-

octanol/water

: log Pow: -0.47 (26 °C)

Method: measured

Mobility in soil

**Components:** 

propylidynetrimethanol:

Distribution among environ-

mental compartments

: Koc: 1.499, log Koc: 0.176

Other adverse effects

Product:

Additional ecological infor-

mation

: No data available

**Components:** 

propylidynetrimethanol:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Print Date: 2020/11/27

according to GB/T 16483 and GB/T 17519

## TRIMETHYLOLPROPANE LLP



Version Revision Date: SDS Number: Date of last issue:2020/11/27 2.1 2020/11/27 Country / Language: CN / 6N

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

#### 14. TRANSPORT INFORMATION

## **National Regulations**

#### China-DG GB 6944/12668

Not regulated as a dangerous good

## **Transportation Notes:**

- Appropriate & sufficient fire-fighting facilities and spill emergency handling apparatus should be equipped with the transport vehicles.

In case of products with explosive, flammable, self-reactive, pyrophoric, self-heating and oxidizing properties:

- Tank cars used in transport should be equipped with a grounding chain; a porous separator plate may be provided in the tank car to reduce static electricity shocks.
- The exhaust pipes of vehicles used for shipping this product must be equipped with fire retardant devices. The use of mechanical equipment or tools prone to sparking is prohibited.
- Protect against exposure to sun, rain and high temperatures during transit; in summer, transport should ideally be in the morning or evening.
- Keep away from fire, heat and high temperature zones during stopovers.
- When transporting over public roads, select routes compliant with regulations and do not stop over in residential or densely populated areas.

### **International Regulations**

#### IATA-DGR

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

Not applicable for product as supplied.

**Hazard statements** : Not dangerous cargo.

Avoid heat above +50 °C.

Has a slight odour.

Keep dry.

Keep separated from foodstuffs.

## 15. REGULATORY INFORMATION

#### **National regulatory information**

Further information : 1. Regulations of the Safety Administration of Dangerous

Chemicals

2. Rules for classification and labeling of chemicals

(GB30000.2~29)

according to GB/T 16483 and GB/T 17519

## TRIMETHYLOLPROPANE LLP



Version Revision Date: SDS Number: Date of last issue: 2020/11/27 2.1 2020/11/27 Country / Language: CN / 6N

- 3. Lists of dangerous goods (GB12268)
- 4. Classification & code of Dangerous Goods (GB6944)
- 5. Safety Data Sheet for Chemical Products -Content and Order of Sections (GB/T16483)
- 6. Guidance on the compliance of safety data sheet for chemical products (GB/T17519)
- 7. Catalogue of hazardous chemicals
- 8. National list of hazardous waste
- 9. Occupational exposure limits for hazardous agents in the workplace Part 1: Chemical hazardous agents GBZ 2.1)

## Other international regulations

#### 16. OTHER INFORMATION

#### Full text of other abbreviations

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.